





WE OPEN
— THE —
DOORS
to the
FUTURE



move[®]
automation 



*more than door and gates
automation solutions...*



website

www.moveautomation.pt



FORCE⁺

Para portas seccionadas ou basculantes até 16m²
 ES Para puertas seccionales o basculantes de hasta 16m²
 EN For sectional and tilting doors up to 16m²
 FR Pour portes sectionnelles ou basculantes jusqu'à 16m²




FORCE⁺600 | FORCE⁺1000 | 1000 speed | FORCE⁺1200

≥ 9m ²	≥ 14m ²	≥ 16m ²
90 Kg	140 Kg	160 Kg
160 mm/seg	160 mm/seg	200 mm/seg



KIT



3300mm | 3600mm | 4200mm





wi-fi usb device
optional/optional



base


Para portas seccionadas até 40m²
 ES Para puertas seccionales hasta 40m²
 EN For sectional doors up to 40m²
 FR Pour portes sectionnelles jusqu'à 40m²



base35 | base50 | base70 | base120

≤ 18m ²	≤ 24m ²	≤ 28m ²	≤ 40m ²
≤ 234 Kg	312 Kg	364 Kg	540 Kg
≤ 14m ²	≤ 20m ²	≤ 24m ²	≤ 36m ²
182 Kg	260 Kg	312 Kg	468 Kg
≤ 5 m	≥ 8 m	≥ 10 m	
	25,4 Ø	25,4 Ø / 31,75 Ø	

base
35
KIT



base50 /
base70 /
base120
KIT



Slider⁺

Para portões de correr com peso até 800 kg
 ES Para puertas correderas hasta 800 kg
 EN For sliding gates weighing up to 800 kg
 FR Pour portails coulissants jusqu'à 800 kg

Slider⁺500 | Slider⁺800

500 Kg	800 Kg
156 mm/seg	186 mm/seg



Slider^{ind.}



Para portões de correr com peso até 2000 kg
 ES Para puertas correderas hasta 2000 kg
 EN For sliding gates weighing up to 2000 kg
 FR Pour portails coulissants jusqu'à 2000 kg

Slider^{ind.}1000 24V | Slider^{ind.}1500 | Slider^{ind.}2000

1000 Kg	1500 Kg	2000 Kg
12 m/min	12 m/min	12 m/min



KIT



Select⁺


Para portões de batente até 4 metros por folha.
ES Para puertas batiente de hasta 4 metros por hoja.
EN For swing gates up to 4 meters per leaf
FR Pour portails battants jusqu'à 4 mètres par vantail.



Select⁺300 | Select⁺400 | Select⁺600

	2 m	3 m	4 m
	350 Kg (230V/110V) / 300 Kg (24V)		
	1,8 cm/seg (230V/110V) / 2 cm/seg (24V)		

KIT



bend >

Para portões de batente até 4 metros por folha.
ES Para puertas batiente de hasta 4 metros por hoja.
EN For swing gates up to 4 meters per leaf
FR Pour portails battants jusqu'à 4 mètres par vantail.



bend >

	4 m (230V)	2,5 m (24V)
	400 Kg (230V)	500 Kg (24V)

KIT



TigerBolt



Para grades de enrolar até 6m e até 360 Kg
ES Para Puertas enrollables hasta 6 metros y hasta 360 Kg
EN For rolling shutters up to 6 meters and up to 360Kg
FR Pour portes enrollables allant jusqu'à 6 mètres et 360 kg



Bolt 160 | Bolt 360 | Tiger 420

	160 Kg	360 Kg	350 Kg
	≤ 6 m		
	10 RPM	9,5 RPM	
	ø 60 mm	ø 76 mm	
	ø 200 mm	ø 240 mm	




Lift/



Barreira uso intensivo com haste extensível até 6m
ES Barrera uso intensivo con asta extensible hasta 6m
EN Intensive use road barrier with extendable bar up to 6m
FR Barrière usage intensif avec lisse extensible jusqu'à 6m



KIT





Acessórios ES Accesorios EN Accessories FR Accessoires



TXMF+



TXMFW



WBM1



WKM0



FLM1



SDM1



LBMF1



LABM1



FOTOP-SP2



FOTOP-L



FOTOP-M



OESM



ESBM



KSM1



KSM2



BPBM



QRHCM 8m



CLBM



CLBM



8PCCM



DC101



RMM1



RBM1



KSM2



BPBM



3300mm | 3600mm | 4200mm




3150mm | 3500mm




3150mm | 3500mm



MEB01



MV2-01



MV1-01



BCBM



MV3-02



UWDM



Wi-Remote

www.wi-remote.com


Wi-Remote

Move Automation - catalogue 1020/0724



Move Automation
Pq. Emp. de Padreiro, Rua de Paúl, nº411
4970-500 Arcos de Valdevez - Portugal
Tel./Phone: + 351 258 931 334

move[®]
automation



www.moveautomation.pt

